



UNIVERSITY OF NEW MEXICO HEALTH SCIENCES CENTER
SCHOOL OF MEDICINE

DEPARTMENT OF
INTERNAL MEDICINE



SM

Extension for Community Healthcare Outcomes

Sanjeev Arora M.D.
Professor of Medicine (Gastroenterology/Hepatology)
Director Project ECHO
Executive Vice Chairman
Department of Medicine
University of New Mexico Health Sciences Center,

Tel: 505-272-2808

Fax: 505-272-4628

sarora@salud.unm.edu




MISSION

The mission of Project ECHO is to develop the capacity to safely and effectively treat chronic, common and complex diseases in rural and underserved areas and to monitor outcomes.

Supported by NM Dept of Health, Agency for Health Research and Quality HIT grant 1 UC1 HS015135-04, and MRISP, R24HS16510-02 and the New Mexico Legislature, Robert Wood Johnson Foundation

Hepatitis C: A Global Health Problem

170 Million Carriers Worldwide, 3-4 MM new cases/year




Source: WHO 1999

HEPATITIS C IN NEW MEXICO

- ~ **Estimated number is greater than 28,000**
- ~ **In 2004 Less than 5% had been treated**
- ~ **Without treatment 8,000 patients will develop cirrhosis between 2010-2015 with several thousand deaths**
- ~ **2300 prisoners diagnosed in corrections system (expected number is greater than 2400) - None treated**
- ~ **Highest rate of chronic liver disease/cirrhosis deaths in the nation**

Sustained Viral Response (Cure) Rates with PegIFN/RBV According to Genotype



Adapted from Strader DB et al. *Hepatology*. 2004;39:1147-1171.

HEPATITIS C TREATMENT

Good News:

Curable in 45-81% of cases

Bad News:

Severe side effects – anemia (100%), neutropenia >35%, depression >25%

RURAL NEW MEXICO

Underserved Area for Healthcare Services

- 121,356 sq miles
- 1.83 million people
- 42.1% Hispanic
- 9.5% Native American
- 17.7% poverty rate compared to 11.7% nationally
- >22% lack health insurance
- 32 of 33 New Mexico counties are listed as Medically Underserved Areas (MUAs)
- 14 counties designated as Health Professional Shortage Areas (HPSAs)

HEALTH CARE IN NEW MEXICO

~20% practice in rural or frontier areas

GOALS

- ~ **Develop capacity to safely and effectively treat Hepatitis C in all areas of New Mexico and to monitor outcomes**
- ~ **Develop a model to treat complex diseases in rural locations and developing countries**

PARTNERS

- ~ University of New Mexico School of Medicine
Dept of Medicine, Telemedicine and CME**
- ~ NM Department of Corrections**
- ~ NM State Health Department**
- ~Indian Health Service**
- ~Community Clinicians with interest in Hepatitis C
and Primary Care Association**

METHOD

- ~ **Use Technology (telemedicine and internet) to leverage scarce healthcare resources**
- ~ **Disease Management Model focused on improving outcomes by reducing variation in processes of care and sharing “best practices”**
- ~ **Case based learning: Co-management of patients with UNMHSC specialists**
- ~ **HIPAA compliant centralized database to monitor outcomes**

STEPS

- ~ **Train physicians, nurses, pharmacists, educators in Hepatitis C**
- ~ **Train to use web based software - “ihealth”**
- ~ **Conduct telemedicine clinics – “Knowledge Network”**
- ~ **Initiate co-management – “Learning loops”**
- ~ **Collect data and monitor outcomes centrally**
- ~ **Assess cost and effectiveness of programs**

BENEFITS TO RURAL CLINICIANS

- ~ No-cost CMEs and Nursing CEUs**
- ~ Professional interaction with colleagues with similar interest**
 - Less isolation with improved recruitment and retention**
- ~ A mix of work and learning**
- ~ Obtain HCV certification**
- ~ Access to specialty consultation with GI, hepatology, psychiatry, infectious diseases, addiction specialist, pharmacist, patient educator**





Clustering of Poor Prognostic Factors in Heavy Patients

Weight, kg (lb)	< 75.0 (1,650)	≥ 75.0 (1,651)*
Male, n (%)	300 (100.0)	300 (100.0)
White, n (%)	262 (87.3)	262 (87.3)
Age, years†	65.0 ± 8.7	65.0 ± 8.6†
Male, years†	65.0 ± 8.7	65.0 ± 8.6†
Married, n (%)	193 (64.3)	193 (64.3)
Lag (95% CI)‡	5.00 ± 0.77	4.98 ± 0.80**
95% CI§	392 (130.7)	392 (130.7)
95% CI¶	392 (130.7)	392 (130.7)
95% CI	392 (130.7)	392 (130.7)

*Weighted average of 1000 patients in the study.
†Age and age squared were used as continuous variables.
‡Lag is the difference in the mean of the two groups.
§95% CI for the lag is the difference in the mean of the two groups.
¶95% CI for the lag is the difference in the mean of the two groups.
||95% CI for the lag is the difference in the mean of the two groups.



Clustering of Poor Prognostic Factors in Heavy Patients

Weight, kg (lb)	< 75.0 (1,650)	≥ 75.0 (1,651)*
Male, n (%)	300 (100.0)	300 (100.0)
White, n (%)	262 (87.3)	262 (87.3)
Age, years†	65.0 ± 8.7	65.0 ± 8.6†
Male, years†	65.0 ± 8.7	65.0 ± 8.6†
Married, n (%)	193 (64.3)	193 (64.3)
Lag (95% CI)‡	5.00 ± 0.77	4.98 ± 0.80**
95% CI§	392 (130.7)	392 (130.7)
95% CI¶	392 (130.7)	392 (130.7)
95% CI	392 (130.7)	392 (130.7)



Technology

- ~ **Videoconferencing Bridge** (Polycom RMX 2000)
- ~ **Videoconferencing Recording Device** (Polycom RSS 2000)
- ~ **You Tube-like Website** (Polycom VMC 1000)
- ~ **Webcam Interfacing Capacity** (Polycom CMA 5000)
- ~ **iHealth**
- ~ **Webinar**
- ~ **Customer Relation Management Solution**
- ~ **Software for Online Classes**

How well has model worked for Hepatitis C ?

400 HCV Telehealth Clinics have been conducted

- >4000 patients entered HCV disease management program

CMEs/CEs issued:

5100 CME/CE hours issued to ECHO Clinicians for Hep C. Total CME hours 10,000 at no cost

237 hours of HCV Training conducted at rural sites

Project ECHO Clinicians

HCV Knowledge Skills and Abilities (Self-Efficacy)

scale: 1 = none or no skill at all 7= expert-can teach others

Community Clinicians N=25	<u>BEFORE</u> Participation MEAN (SD)	<u>TODAY</u> MEAN (SD)	Paired Difference MEAN (SD) (p-value)	<u>Effect Size</u> for the Change
1. Ability to identify suitable candidates for treatment for HCV.	2.8 (1.2)	5.6 (0.8)	2.8 (1.2) (<0.0001)	2.4
2. Ability to assess severity of liver disease in patients with Hepatitis C.	3.2 (1.2)	5.5 (0.9)	2.3 (1.1) (< 0.0001)	2.1
3. Ability to treat HCV patients and manage side effects.	2.0 (1.1)	5.2 (0.8)	3.2 (1.2) (<0.0001)	2.6

Project ECHO Clinicians

HCV Knowledge Skills and Abilities (Self-Efficacy)

Community Clinicians N=25	BEFORE Participation MEAN (SD)	TODAY MEAN (SD)	Paired Difference MEAN/SD (p-value)	Effect Size for the Change
4. Ability to assess and manage psychiatric comorbidities in patients with Hepatitis C.	2.6 (1.2)	5.1 (1.0)	2.4 (1.3) (<0.0001)	1.9
5. Serve as local consultant within my clinic and in my area for HCV questions and issues.	2.4 (1.2)	5.6 (0.9)	3.3 (1.2) (<0.0001)	2.8
6. Ability to educate and motivate HCV patients.	3.0 (1.1)	5.7 (0.6)	2.7 (1.1) (<0.0001)	2.4

Project ECHO Clinicians HCV Knowledge Skills and Abilities (Self-Efficacy)

Community Clinicians N=25	BEFORE Participation MEAN (SD)	TODAY MEAN (SD)	Paired Difference MEAN/SD (p-value)	Effect Size for the Change
Overall Competence (average of 9 items)	2.8* (0.9)	5.5* (0.6)	2.7 (0.9) (<0.0001)	2.9

Cronbach's alpha for the BEFORE ratings = 0.92 and Cronbach's alpha for the TODAY ratings = 0.86 indicating a high degree of consistency in the ratings on the 9 items

Clinician Benefits

(Data Source: 6 Month Q- 5/2008)

Benefits N=35	Not/Minor benefit	Moderate/Major benefit
Enhanced knowledge about management and treatment of HCV patients.	3% (1)	97% (34)
Being well-informed about symptoms of HCV patients in treatment.	6% (2)	94% (33)
Achieving competence in caring for HCV patients.	3% (1)	98% (34)

Project ECHO Annual Meeting Survey

N=17	Mean Score (Range 1-5)
Project ECHO has diminished my professional isolation	4.3
My participation in Project ECHO has enhanced my professional satisfaction	4.8
Collaboration among agencies in Project ECHO is a benefit to my clinic	4.9
Project ECHO has expanded access to HCV treatment for patients in our community	4.9
Access to in general to specialist expertise and consultation is a major area of need for you and your clinic	4.9
Access to HCV specialist expertise and consultation is a major area of need for you and your clinic	4.9

The Hepatitis C Trial

Objectives

- To train primary care Clinicians in rural areas and prisons to deliver hepatitis C treatment to rural populations of New Mexico
- To show that such care is as safe and effective as that given in a University Clinic
- To show that Project ECHO improves access to hepatitis C care for minorities

Participants

- Study sites
 - Intervention (ECHO)
 - Community-based clinics: 14
 - New Mexico Department of Corrections: 7
 - Control: University of New Mexico (UNM) Liver Clinic
- Subjects meeting inclusion / exclusion criteria
 - Community cases seen by primary care physicians
 - Consecutive University patients

Study Design

- Prospective cohort study
 - Participation determined by available technology
 - Randomization by patient, Clinician, or site not feasible
- Advantages
 - Uniform eligibility criteria
 - Standardized treatment
 - Prospective measurement of end-points
- Limitation: groups unbalanced with respect to patient covariates

Principal Endpoints

- Sustained viral response (SVR): no detectable virus 6 months after completion of treatment
- Significant adverse event (SAE): major side-effect

Developing New Standards of Practice for Hepatitis C

- 405 hepatitis C patients met inclusion and exclusion criteria
 - Age: 43.0 ± 10.0 years
 - Men: 63.3%
 - Minority: 65.2%
 - Genotype 1: 57.0%
 - Log₁₀ viral load: 5.89 ± 0.95
 - Treatment sites
 - UNMH: 145 (35.8%)
 - ECHO site: 260 (64.2%)

Preliminary Treatment Outcomes

Outcome	ECHO	UNMH	P-value
Non-response	14.4%	11.8%	NS
SAE	10.4%	20.6%	P<0.01
Minority	69%	49%	P<0.01
SVR Genotype 1/4	50%	48%	NS
SVR Genotype 2/3	70%	68%	NS

SAE=significant adverse event

SVR=sustained viral response

Conclusions


- Rural primary care Clinicians deliver hepatitis C care under the aegis of Project ECHO that is as safe and effective as that given in a University clinic
- Project ECHO improves access to hepatitis C care for New Mexico minorities

DISEASE SELECTION

- ~ **Common diseases**
- ~ **Management is complex**
- ~ **Evolving treatments and medicines**
- ~ **High societal impact (health and economic)**
- ~ **Serious outcomes of untreated disease**
- ~ **Improved outcomes with disease management**

BUILDING BRIDGES

PARETO'S PRINCIPLE



FORCE MULTIPLIER

Use Existing Community Clinicians

Specialists

Primary
Care

Physician
Assistants

Nurse
Practitioners


Hepatitis C

Asthma and COPD

Substance Use and Mental Health Disorders

Successful Expansion Into Multiple Diseases

	Mon	Tue	Wed	Thurs	Fri
8-10 AM	Hepatitis C Arora Thornton	Cardiac Risk Reduction Clinic Colleran	Asthma Harkins	Prevention of Teenage Suicide- Kriechman	Child Psychiatry- Graeber
10-12 AM	Rheuma- tology- Bankhurst	Chronic Pain- Katzman	Substance Abuse- Komaromy	High Risk Pregnancy Curet	Psychotherapy Katzman
2-4 PM	Occupational Health- Wagner	Motivational Interviewing -Oetzel	Ethics Consultation Simpson	Childhood Obesity Mcgrath	Resident Teaching Psychotherapy Katzman



- | | |
|---|---|
| ■ Asthma/Pulmonary | ■ HIV/AIDS |
| ■ Child, Adolescent, & Family Psychiatry | ■ Integrated Addiction/Psychiatry |
| ■ Child & Adolescence Psychiatry | ■ Medical Ethics |
| ■ Chronic Pain/Headache | ■ Occupational Medicine |
| ■ Diabetes/Cardiovascular Risk Reduction | ■ Pediatric Obesity |
| ■ Hepatitis C | ■ Psychotherapy |
| ■ High Risk Pregnancy | ■ Rheumatology |

FORCE MULTIPLIER

Chronic Disease Management is a Team Sport

Primary
Care

Nurse

Medical
Assistant

Community
Health
Worker

Hepatitis C

Asthma and COPD

Substance Use and Mental Health Disorders

Potential Benefits

- ~ **Quality and Safety- Rapid Learning**
- ~ **Access for Rural and Underserved Patients**
- ~ **Workforce Training and Force Multiplier**
- ~ **Improving Professional Satisfaction/ Retention**
- ~ **Supporting The Medical Home Model**
- ~ **Cost Effective Care- Avoid Excessive Testing and Travel**
- ~ **Prevent Cost of Untreated Disease (eg: Liver Transplant or Dialysis)**
- ~ **Integration of Public Health into Treatment Paradigm**



Awards for ECHO Team

- Applications sought for Disruptive Innovations in Healthcare – New Models that would change healthcare nationally and globally (2007)
- Project ECHO selected a winner amongst 307 Applications from 27 countries
- ehealth Initiative award (2008)
- Computerworld Award (2008)
- US Long Distance Education Award (2008)
- Ashoka Foundation Award for Social Entrepreneurship (2009)
- Best Practice Award from US Long Distance Education Association (2010)

Use of telemedicine, best practice protocols, co-management of patients with case based learning (the ECHO model) is a robust method to to safely and effectively treat chronic, common and complex diseases in rural and underserved areas and to monitor outcomes.

Supported by NM Dept of Health, Agency for Health Research and Quality HIT grant 1 UC1 HS015135-04, and MRISP, R24HS16510-02 and the New Mexico Legislature, Robert Wood Johnson Foundation