## **Title of Project:**

Patient-Centered Online Care Model for Follow-Up Management of Atopic Dermatitis

## **Principal Investigator and Team Members:**

April W. Armstrong MD MPH
Fu-Tong Liu MD PhD
Thomas Nesbitt, MD MPH
Richard L. Kravitz, MD MSPH
Mary Ann Johnson MD
Steven Lin MD
Emanual Maverakis MD
Nasim Fazel MD DDS

# Organizations:

University of California Davis University of Colorado Denver

## **Inclusive Dates of Project**

September 30, 2009 - July 31, 2014

# **Federal Project Officer:**

Kay Anderson

Acknowledgment of Agency Support: Yes.

#### **Grant Award Number:**

5K08HS018341

#### 1. Structured Abstract

<u>Purpose</u>: To compare effectiveness of a direct-access, online model for follow-up dermatologic care in pediatric and adult patients with atopic dermatitis with that of in-person office visits.

<u>Scope:</u> New models of healthcare delivery for dermatological care have the potential to increase access and improve patient-centered outcomes.

Methods: We performed a one-year, randomized controlled equivalency clinical trial in medically underserved areas, outpatient clinics, and the general community. The participants included children and adults with atopic dermatitis with access to the internet, computer, and digital camera. After an initial in-person visit, patients were randomized 1:1 to direct-access online or usual in-person care for follow-up management of atopic dermatitis. In the direct-access online group, patients capture and transmit clinical images and history asynchronously to dermatologists online; dermatologists evaluate the clinical information, provide recommendations and education, and prescribe medications online asynchronously. In the in-person group, patients visit dermatologists in their offices for follow-up care.

Results: A total of 156 children and adults were randomized to either direct-access online or inperson care for follow-up management of atopic dermatitis. Between baseline and 12 months, the within-group difference in POEM score in patients in the direct-access online group was -5.1 (SD±5.48, 95% CI -6.32 to -3.88); in the in-person group, the within-group difference was -4.86 (SD±4.87, 95% CI -6.27, -3.46). The difference in the change in POEM scores between the two groups was 0.24 (SD±6.59) with 90% CI of -1.70 to 1.23, which was contained within the predetermined 2.5 equivalence margin. The percentage of patients achieving clear or almost clear (IGA score of 0 or 1) was 38.4% (95% CI 27.7%-49.3%) in the direct-access online group and 43.6% (95% CI 32.6%-54.6%) in the in-person group. The difference in the percent of patients achieving clear or almost clear between the two groups was 5.1% with 90% CI of 1.7%-8.6%, which was contained within the pre-determined 10% equivalence margin. The direct-access online model results in *equivalent* improvements in atopic dermatitis clinical outcomes as inperson care. Direct-access online care may represent an innovative model of delivering dermatological services to patients with chronic skin diseases.

<u>Key Words:</u> Healthcare delivery, telemedicine, teledermatology, patient-centered online care, management of chronic skin diseases, atopic dermatitis.

### 2. Purpose

The objective of this study is to compare effectiveness of a direct-access, online model with that of in-person model for follow-up management of pediatric and adult patients with atopic dermatitis. In this one-year, randomized controlled equivalency trial, we test the hypothesis that patients with atopic dermatitis managed through the direct-access online model have equivalent improvement in their disease severity as those managed in-person, as measured by the Patient-Oriented Eczema Measure (POEM) and Investigator Global Assessment (IGA).

# 3. Scope

In the U.S., there is an inadequate supply of dermatologists to meet the demand for dermatologic services.<sup>1-4</sup> Lack of access to dermatologists is especially pronounced in rural and underserved communities.<sup>5-7</sup> As a result, patients with chronic skin diseases, such as atopic dermatitis, who lack access to regular dermatologic care experience poor clinical outcomes and significant impairment in quality of life.<sup>8</sup>

Studies suggest that teledermatology presents an opportunity to improve access to dermatological specialist care. <sup>9,10</sup> Store-and-forward (S&F) teledermatology is defined as the practice of dermatology through digital capturing and transmission of clinical images and patient history followed by asynchronous evaluation of the clinical information by a dermatologist. The diagnostic accuracy and reliability of store-and-forward teledermatology have been studied and found to be relatively comparable to those of face-to-face care. <sup>11,12</sup> However, few studies have examined clinical outcomes associated with store-and-forward teledermatology. <sup>13-16</sup>

While S&F telemedicine is increasingly utilized to provide underserved communities with access to dermatologic consultations, several limitations exist with traditional consultative teledermatology. In the consultative S&F model, in order to engage in teledermatology, patients need to identify primary care providers (PCPs) with telemedicine capabilities in their community and travel to their office in order to be connected to a teledermatologist. All recommendations from the dermatologists are relayed to the patients through PCPs. That is, dermatologists serve as *consultants* in this practice model and have no direct patient contact. Thus, the traditional consultative model makes it difficult for patients to ask follow-up questions or dialogue with their dermatologists. Studies have shown that patients are most concerned with the lack of direct contact with dermatologists in the traditional S&F consultative model.<sup>19</sup>

Not all PCPs are enthusiastic about consultative S&F teledermatology due to the increased workload related to implementing dermatologists' recommendations without explicit accounting for these efforts. Furthermore, when patients have follow-up questions, not all PCPs receive timely and robust support from specialists in order to adequately address patient questions.

New models of specialty-care delivery are necessary to provide distance-independent and time-independent care to patients. One innovative healthcare-delivery model in dermatology involves direct-access online care, where patients can communicate directly with dermatologists and receive timely recommendations to manage their skin diseases. This model may be especially suitable for managing chronic skin diseases such as atopic dermatitis, where regular follow-up care is necessary to control disease flares and maintain disease control.

#### 4. Methods

### Study Design

In this randomized controlled *equivalency* trial, we compared the effectiveness of a direct-access, asynchronous, online model for delivering follow-up dermatologic care in patients with atopic dermatitis with that of in-person office visits. We compared clinical outcomes between the two groups, where the participants are followed for one year. The study was approved by the University of California Davis Institutional Review Board (243201).

We recruited five dermatologists from the UC Davis Department of Dermatology to participate in this study: four dermatologists providing clinical care to the study (either face-to-face or online depending on the subject randomization), and one dermatologist blinded to the randomization who performed Investigator Global Assessment (IGA) based on the digital photographs. The four dermatologists providing care to patients in person were also trained on how to provide care to patients online via the RelayHealth online telemedicine site. Relay Health is a website that provides asynchronous clinical connectivity between patients and physicians.

Due to the nature of the intervention, the study staff, dermatologists and participants could not be blinded to the group assignment during the course of the study. However, the rater responsible for performing the IGA assessment based on digital images was blinded to the randomization of the participants.

### **Patient Selection**

We recruited pediatric and adult patients with atopic dermatitis from medically underserved clinics, general outpatient clinics, and the general community in the greater Sacramento area. Specifically, we recruited patients from federally qualified health centers (FQHCs), free clinics serving indigent patient populations, primary care network clinics affiliated with University of California Davis (UC Davis), dermatology clinic at UC Davis, and the general community.

Regardless of race and gender, all children and adults were considered for the study if they met the following inclusion criteria: (1) Met Hanifin criteria for diagnosis of atopic dermatitis, <sup>23</sup> (2) age 4 years and older, (3) had internet connection, computer, and digital camera (4) Were able to have their skin imaged by themselves or by family members. The exclusion criteria included (1) patients who do not speak English or Spanish, (2) patients requiring systemic treatments (e.g., cyclosporine, phototherapy), and (3) patients requiring regular laboratory monitoring.

## Study Interventions

### Initial visit for all participants:

All participants had an initial in-office visit, where they provided informed consent and were examined by dermatologists to confirm the diagnosis of atopic dermatitis and eligibility criteria. The study staff took baseline clinical photographs of the subject's skin lesions. All participants also underwent baseline assessments of disease severity and quality of life using validated instruments. They were then randomized in 1:1 into one of the two arms of the study—direct-access online group and in-person group.

Participants in *both* the online and the in-office comparison groups underwent a standardized training session consisting of instruction on specific image capturing techniques to ensure that high-quality images would be taken with the correct lighting and focus. During this training session, the participants and their family members were taught how to take standardized global and representative, close-up lesional photos. The global images were used to assess the *body surface area* of involvement of atopic dermatitis, whereas the close-up lesional images were used for morphologic examination (e.g., erythema, induration, lichenification, impetiginization). For most participants, the "global" images were taken by the family members. However, for the participants wishing to take their own global images, they were taught how to take full-body images with the auto-timer function on digital cameras. In addition, the participants in the direct-access online group were trained on how to access the direct-access online website for their dermatologic care. These patients had to demonstrate competence navigating the telemedicine site prior to conclusion of their first visit. All instructions on navigating the telemedicine site and how to capture skin images were provided both electronically and in hardcopies to patients.

#### In-Person Group (Control Arm):

The participants randomized to the office visits had six in-person visits with a dermatologist at two-months intervals. Within 24 hours of each in-office visit with their dermatologists, these participants were asked to take their skin images at home and submit the images to the study team via the same website. This was to ensure that the blinded rater was not able to distinguish the randomization assignment based on the photography technique or the image quality. A study staff reviewed these clinical images to ensure adequate image quality for outcome assessment. If images were not adequate, the subject would be asked to re-take and re-submit the images within 24 hours.

During the in-person visits, the participants received usual care from the study dermatologists, including evaluation of atopic dermatitis and discussion of treatment plan. At each of these inperson follow-up visits, the participants also completed the standardized assessments for disease severity and quality of life.

### Direct-Access Online Group (Intervention Arm):

The participants randomized to the direct-access online group had six online visits with a dermatologist at two-months intervals. During the online visits, the participant went to the secure online healthcare-delivery platform to submit all the necessary information for online visits and communicate with dermatologists asynchronously. For example, they completed a standardized questionnaire, where they reported their progress as well as any adverse events. Throughout the study, all participants had access to instructions on how to take pictures of their skin lesions, upload and transmit images and history, and other steps necessary to complete an online visit and view dermatologist recommendations.

After the patients completed the online visits, a research staff reviewed the submitted visit information for completeness and ensured that the images were of high quality prior to forwarding them to the dermatologist. The dermatologists caring for the online participants evaluated the transmitted clinical information and digital photographs, made treatment recommendations or modifications, and prescribed medications electronically. The dermatologist had three business days to complete the online visit. If the patient has follow-up questions, he or she could communicate with dermatologists online asynchronously through the same telehealth platform (Figure 1).

#### **Outcome Instruments**

Baseline Patient-Oriented Eczema Measurement (POEM) and Investigator's Global Assessment (IGA) scores were recorded at the initial office visit as well as all follow-up visits. At each of the six subsequent online or in-person visits, all participants responded to the POEM questionnaire, a sensitive and validated patient-oriented disease severity measurement.<sup>27</sup> POEM comprises seven questions that assess the symptom morbidity of patients with atopic dermatitis during the week leading up to the questionnaire. The response to each question indicates the number of days the subject experienced a particular sign or symptom (No Days, 1-2 Days, 3-4 Days, 5-6 Days, Every Day) with a maximum score of 28 points.<sup>27</sup> Higher scores denote greater symptom morbidity.

All participants also received baseline digital photographs taken at the initial visit. For each of the subsequent study visits, participants in both comparison groups took digital photographs of their skin lesions. A dermatologist blinded to the randomization rated each subject's atopic dermatitis severity using the Investigator Global Assessment (IGA) scale based on the photographs. The IGA scale is a validated disease outcome measurement for atopic dermatitis that is widely used in clinical trials. The IGA comprises a 6-point ordinal scale that ranges from 0 to 5 (clear, almost clear, mild disease, moderate disease, severe disease, very severe disease).

#### Statistical Analysis

The power analysis and sample size calculation for this study were calculated based on the primary outcome measure--patient-oriented eczema measure (POEM). This is an *equivalency trial* comparing the effectiveness of two models of delivering follow-up dermatological care for atopic dermatitis. We aimed to establish  $\delta_L < \delta < \delta_U$ , where  $\delta_L$  and  $\delta_U$ , are a *priori* specified values used to define equivalence. The null hypothesis  $H_0$ :  $|\delta| \ge \delta_U$  is tested against the two-sided alternative hypothesis  $H_a$ :  $|\delta| < \delta_U$ , at significance level  $\alpha = 0.05$ . With 156 participants that accounted for dropout rates up to 15%, this study has 80% power to test  $\delta_U = 2.5$  as the *a priori* determined equivalence limit for POEM score.

The analysis was based on the intention-to-treat population, which includes all randomized patients. In this longitudinal study, we measured POEM and IGA at baseline and the subsequent 6 follow-up visits. We examined the differences in the change in POEM scores from

baseline to 12-months between the direct-access online group and the in-person group and compared them against the equivalence margin. We also compared differences in the proportion of patients achieving clear or almost clear on IGA at 12 months between the two comparison arms. We tested these proportions against pre-determined equivalence margin of 10%. Sensitivity analyses were performed using repeated measures ANOVA approach for POEM and generalized estimating equations (GEE) approach for IGA scores between the two comparison groups. <sup>32</sup> All statistical analyses were performed using STATA 13.

#### 5. Results

A total of 156 children and adults with atopic dermatitis were randomized to receive follow-up care via either direct-access online model or in-person visits over a 12-month period. Demographic information of the study population is depicted in Table 1. Patients submitted on average 8.7 photos and 8.2 photos per visit in the direct-access group and in-person group respectively. The staff requested re-imaging in 6.3% and 6.6% of the online and in-person visits respectively. No significant differences existed in the number of submitted photos or requests for re-imaging between the two arms.

Patients in both the direct-access online and in-person groups showed significant improvement in atopic dermatitis disease severity as measured with POEM over the 12-month study period (Figure 2A). Specifically, in the direct-access online group, patients' POEM score improved from baseline of 13.04 (SD  $\pm$ 5.32) to 7.94 (SD  $\pm$ 4.55) at 12 months. This represented a within-group difference of -5.1 (SD $\pm$ 5.48, 95% CI -6.32 to -3.88) for the direct-access online arm. In the inperson group, the patients' POEM score improved from baseline of 12.71 (SD  $\pm$ 5.58) to 7.85 (SD  $\pm$ 4.44) at 12 months. This represented a within-group difference of -4.86 (SD $\pm$ 4.87, 95% CI -6.27, -3.46) for the in-person arm.

To compare the differences in the change of POEM scores between the direct-access online group and the in-person group, we applied the pre-determined equivalence margin of  $\delta$ =2.5 and 90% confidence intervals typically used for equivalency trials. The difference in the change in POEM scores between the two groups was 0.24 (SD±6.59) with 90% CI of -1.70 to 1.23. Because the confidence interval of -1.70 to 1.23 is contained entirely within the equivalence margin from -2.5 to 2.5, the direct-access online model is equivalent to in-person model for follow-up care of atopic dermatitis (Figure 2B).

Patients in both the direct-access online and in-person groups showed significant improvement in atopic dermatitis disease activity as measured with IGA over the 12-month study period (Figure 3A). In particular, in the direct-access online group, patients' IGA score improved from a baseline median of 3 (interquartile range 2, 3) to a median IGA score of 2 (interquartile range 1, 2) at 12 months. The percentage of patients achieving clear or almost clear (IGA score of 0 or 1) was 38.4% (95% CI 27.7%-49.3%) in the direct-access online group. In the in-person group, patients' IGA score also improved from a baseline median of 3 (interquartile range 2, 3) to a median IGA score of 2 (interquartile range 1, 2) at 12 months. The percentage of patients achieving clear or almost clear (IGA score of 0 or 1) was 43.6% (95% CI 32.6%-54.6%) in the in-person group (Figure 4).

To compare differences in the percentage of patients achieving an IGA score of clear or almost clear between the direct-access online group and the in-person group, we applied the predetermined equivalence margin of 10%. That is, if the differences in the percentage of patients achieving IGA clear or almost clear at 12 months is 10% or less, we deem the two interventions to be equivalent. The difference in the percent of patients achieving clear or almost clear between the two groups is 5.1% with 90% CI of 1.7%-8.6%. Because the confidence interval of

1.7%-8.6% is contained entirely within the equivalence margin from -10% to 10%, the direct-access online model is equivalent to in-person model for follow-up care of atopic dermatitis (Figure 3B). Sensitivity analyses were performed using repeated measures ANOVA approach for POEM and generalized estimating equations (GEE) approach for IGA scores.

We evaluated a patient-centered, direct-access online model for delivering following-up care for patients with atopic dermatitis. In this randomized controlled equivalency trial, we found that patients managed through the direct-access online model achieved *equivalent* improvements in atopic dermatitis disease severity compared to those managed through the usual, in-person visits. The study finding of equivalence in managing atopic dermatitis is primarily limited to a population with relatively moderate disease based on POEM and IGA assessments.

Skin diseases account for 30% of all physician office visits.<sup>33,34</sup> Chronic skin diseases are associated with markedly decreased quality of life and financial consequences.<sup>35</sup> Many patients with chronic skin diseases such as atopic dermatitis or psoriasis desire expedient and convenient access to dermatologists for long-term management of their skin diseases.

While evidence supports diagnostic accuracy and reliability of asynchronous teledermatology, 11,12 teledermatology has not been as widely adopted as previously expected. Real-world challenges of implementing and disseminating traditional consultative asynchronous teledermatology include a lack of direct communication between patients and dermatologists and inconsistent support from primary care providers for the existing consultative teledermatology models. To be responsive to patient needs and to address challenges associated with consultative asynchronous teledermatology, it is valuable to evaluate novel technology-enabled specialty-care delivery models. Few studies to date have examined the effect of direct-access online models on clinical outcomes in dermatology.

The strengths of this study include its equivalency testing, randomized controlled design, and consistent follow-up with low dropout rate throughout the study. The equivalency study designs enable investigators to test for and declare whether equivalence truly exists when comparing various interventions. Furthermore, a significant proportion of the patients were recruited from underserved communities, which enabled us to evaluate the direct-access online model among populations with relatively greater healthcare needs and fewer technological resources.

The direct-access online model affords direct, versatile, and expedient clinical interactions for both patients and dermatologists. In this online model for follow-up care, patients no longer need to travel to a primary care facility with telemedicine capabilities in order to engage dermatologists. Instead, they are able to upload clinical images and history online and obtain asynchronous evaluation and recommendations from dermatologists directly. However, it is also important to understand potential limitations with direct-access online models. Appropriate patient selection, disease selection, and availability of in-person safe guards are important considerations.

This patient-centered direct-access online specialty-care delivery model can be applied to other chronic conditions where regular access to specialists is critical to patient outcomes, such as in psoriasis and wound management. For example, psoriasis patients require long-term, regular care to maintain disease control, and this model has the potential to improve access and outcomes for this patient population.<sup>20</sup> Patients with chronic wounds such as diabetic foot ulcers and venous leg ulcers cannot travel easily. This online model can encourage wound patients to increase engagement in their wound management with online specialist support.

The findings need to be interpreted in the context of the study design. This study population comprises children and adults with mean age in the late twenties. While this generally reflects the demographic of the atopic dermatitis population, computer fluency of this study population

may differ from that of patients with other chronic skin diseases. Furthermore, studies beyond one-year duration are necessary to determine the persistence of the effects of these healthcare delivery models.

Health services delivery in dermatology is an exciting and evolving field. With the changing healthcare environment and a growing demand for dermatologic services, technology-enabled healthcare delivery models have the potential to increase access and improve outcomes. Critical examination of existing telemedicine models and determination of barriers to dissemination serve as the foundation for designing novel healthcare delivery models. The direct-access online model provides a patient-centered approach to addressing dermatological care, and it may afford dermatologists flexible work models. As with any novel health services delivery models, comparative effectiveness studies investigating health outcomes are critical to evaluate these new models in an evidence-based approach.

#### 6. List of Publications and Products

Below is a list of publications that were generated during the Principal Investigator's K08 award period:

- 2014 <u>Armstrong AW</u>, Johnson MA, Lin S, Maverakis E, Fazel N, Liu FT. Patient-Centered, Direct-Access Online Care for Management of Atopic Dermatitis: A Randomized Clinical Trial. JAMA Dermatol. 2014 Oct 22. doi: 10.1001/jamadermatol.2014.2299. PubMed PMID: 25338198.
- 2014 Brezinski EA, Harskamp CT, Ledo L, <u>Armstrong AW</u>. Public Perception of Dermatologists and Comparison with Other Medical Specialties: Results From a National Survey. *J Am Acad Dermatol*. 2014 Aug 27. PubMed PMID: 25175709.
- 2014 <u>Armstrong AW</u>. Psoriasis Provoked or Exacerbated by Medications: Identifying Culprit Drugs. *JAMA Dermatol*. 2014 Sep 1. PubMed PMID: 24989499.
- 2014 Brezinski EA, <u>Armstrong AW</u>. Strategies to Maximize Treatment Success in Moderate to Severe Psoriasis: Establishing Treatment Goals and Tailoring of Biologic Therapies. Semin Cutan Med Surg. 2014 June. PubMed PMID: 25085668.
- 2014 Ma C, <u>Armstrong AW</u>. Severe Adverse Events from the Treatment of Advanced Melanoma: A Systematic Review of Severe Side Effects Associated with Ipilimumab, Vemurafenib, Interferon alfa-2b, Dacarbazine and Interleukin-2. *J Dermatolog Treat*. 2014 Oct. PubMed PMID: 23763243.
- 2014 Wang AS, Kleinerman R, <u>Armstrong AW</u>, Fitzmaurice S, Pascucci A, Awasthi S, Ratnarathorn M, Sivamani R, King TH, Eisen DB. Set-Back Versus Buiried Vertical Mattress Suturing: Results of a Randomized Blinded Trial. *J Am Acad Dermatol*. 2014 Aug 14. PubMed PMID: 25129615.
- 2014 Patel G, <u>Armstrong AW</u>, Eisen DB. Efficacy of Photodynamic Therapy vs Other Interventions in Randomized Clinical Trials for the Treatment of Actinic Keratoses: A Systematic Review and Meta-Analysis. *JAMA Dermatol*. 2014 Aug 27. PubMed PMID: 25162181.
- 2014 Sivimani RK, Morley JE, Rehal B, <u>Armstrong AW</u>. Comparative Prevalence of Complementary and Alternative Medicine Use Among Outpatients in Dermatology and Primary Care Clinics. *JAMA Dermatol*. 2014 Sep 24. PubMed PMID: 25251705.

- 2014 Loh E, <u>Armstrong AW</u>, Fung MA. Pre-Bisection of a Single Skin Biopsy Does Not Produce Technically Inadequate Specimens for Direct Immunofluorescence; A review of 3450 Specimens. *J Cutan Pathol*. 2014 Sep 26. PubMed PMID: 25262568.
- Wu J, <u>Armstrong AW.</u> Metabolomic Analysis Using Procine Skin: A Pilot Study of Analytical Techniques. *Dermatol Online J.* 2014 June 15. [Epub ahead of print] PubMed PMID: 24945638.
- 2014 Duffin KC, Garg A, <u>Armstrong AW</u>, Helliwell P, Mease PJ. Psoriasis and Psoriatic Arthritis Educational Initiatives: An Update from the 2013 GRAPPA Annual Meeting. *J Rheumatol*. 2014 June. PubMed PMID: 24882862.
- 2014 <u>Armstrong AW</u>, Gelfand JM, Garg A. Outcomes Research in Psoriasis and Psoriatic Arthritis Using Large Databases and Research Networks: A Report from the GRAPPA 2013 Annual Meeting. *J Rheumatol.* 2014 June. PubMed PMID: 24882860.
- 2014 Gottlieb AB, <u>Armstrong AW</u>, Christensen R, Garg A, Duffin KC, Boehncke WH,Merola JF, Gladman DD, Mease PJ, Swerlick RA, Rosen CF, Abernethy A. The International Dermatology Outcome Measures Initiative as Applied to Psoriatic Disease Outcomes: A Report from the GRAPPA 2013 Meeting. *J Rheumatol*. 2014 June. PubMed PMID: 24882858
- 2014 Hsu L, <u>Armstrong AW.</u> JAK Inhibitors: Treatment Efficacy and Safety Profile in Patients with Psoriasis. *J Immunol Res.* 2014 May 5. [Epub ahead of print] PubMed PMID: 24883332.
- 2014 Mease PJ, Armstrong AW. Managing Patients with Psoriatic Disease: The Diagnosis and Pharmacologic Treatment of Psoriatic Arthritis in Patients with Psoriasis. *Drugs*. 2014 Feb 25. [Epub ahead of print] PubMed PMID: 24566842.
- Tuong W, <u>Armstrong AW</u>. Effect of appearance-based education compared with health-based education on sunscreen use and knowledge: A randomized controlled trial. *J Am Acad Dermatol*. 2014 Feb 5. pii: S0190-9622(13)01337-6. doi: 10.1016/j.jaad.2013.12.007. PubMed PMID: 24508292.
- 2014 Foolad N, <u>Armstrong AW</u>. Prebiotics and probiotics: the prevention and reduction in severity of atopic dermatitis in children. *Beneficial Microbes*. 2014 Jan 24:1-10. PubMed PMID: 24463205.
- 2014 Campbell T, <u>Armstrong AW</u>, Schupp CW, Barr K, Eisen DB. Surgeon error and slide quality during Mohs micrographic surgery: Is there a relationship with tumor recurrence? *Journal of the American Academy of Dermatology*, 2014 Feb;70(2):386-7.
- 2014 Bangash HK, Ibrahimi OA, Green LJ, Alam M, Eisen DB, <u>Armstrong AW</u>. Who do you prefer? A study of public preferences for health care provider type in performing cutaneous surgery and cosmetic procedures in the United States. *Dermatol Surg.* 2014 Jun;40(6):671-8. PubMed PMID: 24852472.
- 2014 Kleinerman R, <u>Armstrong AW</u>, Ibrahimi OA, King TH, Eisen DB. Electrobrasion Versus Manual Dermabrasion: A Randomized, Double-Blind, Comparative Effectiveness Trial. *Br J Dermatol*. 2014 Feb 21. doi: 10.1111/bjd.12906. [Epub ahead of print] PubMed PMID: 24641302.
- 2014 <u>Armstrong AW</u>. Psoriasis. British Medical Journal Point-of-Care, *British Medical Journal*, 2014 at www.pointofcare.bmj.com.
- 2014 <u>Armstrong AW</u>, Baden H. Folliculitis. British Medical Journal Point-of-Care, *British Medical Journal*, 2011 at www.pointofcare.bmj.com.

- 2014 Okhovat JP, <u>Armstrong AW</u>. Updates in Rosacea: Epidemiology, Risk Factors, and Management Strategies. *Current Dermatology Reports*, in press.
- 2014 Rachakonda TD, Schupp CW, <u>Armstrong AW</u>. Psoriasis prevalence among adults in the United States. *Journal of the American Academy of Dermatology (JAAD)*. 2014 Jan 2. pii: S0190-9622(13)01268-1. doi: 10.1016/j.jaad.2013.11.013. [Epub ahead of print]
- 2014 Butler DC and <u>Armstrong AW</u>. Palmoplantar Psoriasis. In EC Levin, A Leon, J Wu, M Lebwohl, J Koo, *Mild-to-Moderate Psoriasis*. Boca Raton, FI: CRC Press, 2014. (In press)
- 2014 Brezinski EA, Follansbee MR, Armstrong EJ, <u>Armstrong AW</u>. Endothelial Dysfunction and the Effects of TNF Inhibitors on the Endothelium in Psoriasis and Psoriatic Arthritis: A Systematic Review. *Current Pharmaceutical Design*, 2014;20(4):513-28.
- 2014 <u>Armstrong AW</u>, Brezinski EA, Follansbee MR, Armstrong EJ. Effects of Biologic Agents and Other Disease-Modifying Antirheumatic Drugs on Cardiovascular Outcomes in Psoriasis and Psoriatic Arthritis: A Systematic Review. *Current Pharmaceutical Design*, 2014;20(4):500-12.
- 2014 <u>Armstrong AW</u>, Psoriasis. British Medical Journal Point-of-Care 2014, *British Medical Journal*, 2014, at www.pointofcare.bmj.com.
- 2013 Harskamp CT, <u>Armstrong AW</u>. Immunology of atopic dermatitis: novel insights into mechanisms and immunomodulatory therapies. *Seminars in Cutaneous Medicine and Surgery*. 2013 Sep;32(3):132-9.
- 2013 <u>Armstrong AW</u>, Azizi S, Wu J, Harskamp CT, Farrow J, Johnson MA, Klem K, Anderson D, Armstrong EJ. Psoriasis, electrocardiographic characteristics, and incidence of atrial fibrillation. *Archives of Dermatological Research*. 2013 Dec;305(10):891-7. doi: 10.1007/s00403-013-1419-5. Epub 2013 Oct 29.
- 2013 Hsu L, <u>Armstrong AW</u>. Anti-drug antibodies in psoriasis: a critical evaluation of clinical significance and impact on treatment response. *Expert Review of Clinical Immunology*. 2013 Oct;9(10):949-58. doi: 10.1586/1744666X.2013.836060.
- 2013 <u>Armstrong AW</u>. Tumor necrosis factor inhibitors and myocardial infarction in psoriasis-reply. *JAMA*. 2013 Sep 11;310(10):1076. doi: 10.1001/jama.2013.276767.
- 2013 <u>Armstrong AW</u>, Robertson A, Wu J, Schupp CW, Lebwohl MG. Under-Treatment, Treatment Trends, and Treatment Dissatisfaction in Psoriasis and Psoriatic Arthritis Patients in the United States: Findings from the National Psoriasis Foundation Surveys 2003-2011. *JAMA Dermatology*, 2013 Oct;149(10):1180-5. doi: 10.1001/jamadermatol.2013.5264.
- 2013 Callis Duffin K, <u>Armstrong AW</u>, Mease PJ. Psoriasis and psoriatic arthritis video project: an update from the 2012 GRAPPA annual meeting. *The Journal of Rheumatology*, 2013 Aug;40(8):1455-6. doi: 10.3899/jrheum.130463.
- 2013 <u>Armstrong AW</u>, Coates LC, Espinoza LR, Ogdie AR, Rich P, Soriano ER. Infectious, oncologic, and autoimmune comorbidities of psoriasis and psoriatic arthritis: a report from the GRAPPA 2012 annual meeting. *The Journal of Rheumatology*, 2013 Aug;40(8):1438-41. doi: 10.3899/jrheum.130458.
- 2013 <u>Armstrong AW</u>, Gelfand JM, Boehncke WH, Armstrong EJ. Cardiovascular comorbidities of psoriasis and psoriatic arthritis: a report from the GRAPPA 2012 annual meeting. *The Journal of Rheumatology*, 2013 Aug;40(8):1434-7. doi: 10.3899/jrheum.130457.

- 2013 Gottlieb AB, <u>Armstrong AW</u>. Psoriasis outcome measures: a report from the GRAPPA 2012 annual meeting. *The Journal of Rheumatology*, 2013 Aug;40(8):1428-33. doi: 10.3899/jrheum.130456.
- 2013 Ho B, Lee M, <u>Armstrong AW</u>. Evaluation criteria for mobile teledermatology applications and comparison of major mobile teledermatology applications. *Telemedicine Journal and e-Health*, 2013 Sep;19(9):678-82. doi: 10.1089/tmj.2012.0234. Epub 2013 Jun 28.
- Bhutani T, Wong JW, Bebo BF, <u>Armstrong AW</u>. Access to health care in patients with psoriasis and psoriatic arthritis: data from National Psoriasis Foundation survey patients. *JAMA Dermatology*, 2013 Jun;149(6):717-21. doi: 10.1001/jamadermatol.2013.133.
- 2013 <u>Armstrong AW</u>. Do TNF inhibitors reduce the risk of myocardial infarction in psoriasis patients? *JAMA*. 2013 May 15;309(19):2043-4. doi:10.1001/jama.2013.4695.
- 2013 <u>Armstrong AW</u>, Harskamp CT, Schupp CW. Psoriasis and Sexual Behavior in Men: Examination of the National Health and Nutrition Examination Survey (NHANES) in the United States. *The Journal of Sexual Medicine*. 2013 May 16. doi: 10.1111/jsm.12199. [Epub ahead of print]
- 2013 Campbell T, <u>Armstrong AW</u>, Schupp CW, Barr K, Eisen DB. Surgeon error and slide quality during Mohs micrographic surgery: Is there a relationship with tumor recurrence? *The Journal of the American Academy of Dermatology (JAAD)*, 2013 Jul;69(1):105-11.
- 2013 <u>Armstrong AW</u>, Harskamp CT, Armstrong EJ. Psoriasis and major adverse cardiovascular events: a systematic review and meta-analysis of observational studies. *Journal of the American Heart Association (JAHA)*, 2013 Apr 4;2(2):e000062. doi: 10.1161/Journal of American Heart Association (JAHA).113.000062.
- 2013 Shi VY, Nanda S, Lee K, <u>Armstrong AW</u>, Lio PA. Improving Patient Education With an Eczema Action Plan: A Randomized Controlled Trial. *JAMA Dermatology*. 2013 Apr;149(4):481-3. doi: 10.1001/jamadermatol.2013.2143
- 2013 Sharon VR, <u>Armstrong AW</u>, Jim-On S, Ibrahimi OA, Eisen DB. Postoperative Preferences in Cutaneous Surgery: A Patient-Centered Investigation From an Academic Dermatologic Surgery Practice. *Dermatologic Surgery*. 2013 May;39(5):773-8. doi: 10.1111/dsu.12136. Epub 2013 Feb 22.
- 2013 Handler MZ, Derrick KM, Lutz RE, Morrell DS, Davenport ML, <u>Armstrong AW</u>. Prevalence of Pilomatricoma in Turner Syndrome: Findings From a Multicenter Study. *JAMA Dermatology.* 2013 May;149(5):559-64. doi: 10.1001/2013.jamadermatol.115.
- 2013 <u>Armstrong AW</u>, Harskamp CT, Armstrong EJ. Psoriasis and metabolic syndrome: A systematic review and meta-analysis of observational studies. *Journal of the American Academy of Dermatology (JAAD)*. 2013 Apr;68(4):654-62. doi: 10.1016/j.jaad.2012.08.015. Epub 2013 Jan 27.
- 2013 Mercy K, Kwasny M, Cordoro KM, Menter A, Tom WL, Korman N, Belazarian L, <u>Armstrong AW</u>, Levy ML, Paller AS. Clinical Manifestations of Pediatric Psoriasis: Results of a Multicenter Study in the United States. *Pediatric Dermatology*. 2013 Jul-Aug;30(4):424-8. doi: 10.1111/pde.12072. Epub 2013 Jan 30.
- Johnson JA, Ma C, Kanada KN, <u>Armstrong AW</u>. Diet and Nutrition in Psoriasis: Analysis of the National Health and Nutrition Examination Survey (NHANES) in the United States. Journal of the European Academy of Dermatology and Venereology (JEADV). 2013 Feb 25. doi: 10.1111/jdv.12105.

- 2013 <u>Armstrong AW</u>. Treatment selection for moderate to severe plaque psoriasis in special populations, In: UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA.
- 2012 Sharon V, <u>Armstrong AW</u>, Ibrahimi OA, Jim-On S, Eisen DB. What is the optimal time for follow up after cutaneous surgery; Patient-Centered Investigation from an Academic Mohs Practice. *Dermatologic Surgery*. 2013 Feb 22. doi: 10.1111/dsu.12136. [Epub ahead of print]
- 2012 <u>Armstrong AW</u>, Harskamp CT, Armstrong EJ. Psoriasis and the Risk of Diabetes Mellitus: A Systematic Review and Meta-analysis. *JAMA Dermatology*. 2013 Jan;149(1):84-91. doi: 10.1001/2013.jamadermatol.406. Review.
- 2012 Ma C, Harskamp CT, Armstrong EJ <u>Armstrong AW</u>. The Association between Psoriasis and Dyslipidemia: A Systematic Review. *British Journal of Dermatology*. 2013 Mar;168(3):486-95. doi: 10.1111/bjd.12101. Epub 2013 Jan 18.
- 2012 <u>Armstrong AW</u>, Schupp C, Bebo B. Psoriasis comorbidities: results from the national psoriasis foundation surveys 2003 to 2011. *Dermatology*. 2012;225(2):121-6. doi: 10.1159/000342180. Epub 2012 Oct 26.
- 2012 Callis Duffin K, <u>Armstrong AW</u>, Mease PJ. Psoriasis and psoriatic arthritis video project: an update from the GRAPPA 2011 annual meeting. *The Journal of Rheumatology*, 2012 Nov;39(11):2198-200. doi: 10.3899/jrheum.120823.
- Armstrong AW, Callis Duffin K, Garg A, Gelfand JM, Gottlieb AB, Krueger GG, Qureshi AA, Rosen CF. Exploring priority research areas in psoriasis and psoriatic arthritis from dermatologists' perspective: a report from the GRAPPA 2011 annual meeting. *The Journal of Rheumatology*, 2012 Nov;39(11):2204-10. doi: 10.3899/jrheum.120825.
- 2012 Sharon VR, <u>Armstrong AW</u>, Jim On SC, Ibrahimi OA, Eisen DB. Separate-Versus Same-Day Preoperative Consultation in Dermatologic Surgery: A Patient-Centered Investigation in an Academic Practice. *Dermatologic Surgery*, 2013 Feb;39(2):240-7. doi: 10.1111/dsu.12083. Epub 2012 Dec 26
- 2012 <u>Armstrong AW</u>, Schupp C, Wu J, Bebo B. Quality of Life and Work Productivity Impairment Among Psoriasis Patients: Findings from the National Psoriasis Foundation Survey Data 2003-2011. *PLOS ONE*, 2012;7(12):e52935. doi: 10.1371/journal.pone.0052935. Epub 2012 Dec 28.
- 2012 Wang AS, Armstrong EJ, <u>Armstrong AW</u>. Corticosteroids and Wound Healing: Clinical Considerations in the Peri-operative Period. *The American Journal of Surgery*, 2013 Sep;206(3):410-7. doi: 10.1016/j.amjsurg.2012.11.018. Epub 2013 Jun 4.
- 2012 Tuong W, Larsen ER, <u>Armstrong AW</u>. Videos to Influence: A Systematic Review of Effectiveness of Video-Based Education in Modifying Health Behaviors. *Journal of Behavioral Medicine*, 2012 Nov 28. [Epub ahead of print].
- 2012 <u>Armstrong AW</u>, Harskamp C, Armstrong EJ. The Association Between Psoriasis and Hypertension: A Systematic Review and Meta-Analysis of Observational Studies. *Journal of Hypertension*, 2013 Mar;31(3):433-42; discussion 442-3. doi: 10.1097/HJH.0b013e32835bcce1.
- 2012 Armstrong AW, Harskamp C, Armstrong EJ. The Association Between Psoriasis and Obesity: A Systematic Review and Meta-Analysis of Observational Studies. *Nutrition and Diabetes*, 2012 Dec 3;2:e54. doi: 10.1038/nutd.2012.26.
- 2012 <u>Armstrong AW</u>, Follansbee M, Schupp C. Psoriasis and Sexual Behavior in U.S. Women: An Epidemiologic Analysis Using the National Health and Nutrition Examination

- Survey (NHANES). *The Journal of Sexual Medicine*, 2013 Feb;10(2):326-32. doi: 10.1111/jsm.12003. Epub 2012 Nov 21.
- 2012 Foolad N, Brezinski E, Chase E, <u>Armstrong AW</u>. Effect of Nutrient Supplementation on Atopic Dermatitis in Children: A Systematic Review of Probiotics, Prebiotics, Formula, and Fatty Acids. *JAMA Dermatology*, 2013 Mar;149(3):350-5.
- 2012 Larsen L, <u>Armstrong AW</u>. Congenital Self Healing Reticulohistiocytosis- Concern for a Poor Prognosis. *Dermatology Online Journal*, 2012 Oct 15;18(10):2.
- 2012 <u>Armstrong AW</u>, Parsi K, Schupp CW, Mease PJ, Duffin KC. Standardizing Training for Psoriasis Measures: Effectiveness of an Online Training Video on Psoriasis Area and Severity Index (PASI) Assessment by Physician and Patient Raters. *JAMA Dermatology*. 2013 May;149(5):577-82. doi: 10.1001/jamadermatol.2013.1083.
- 2012 Boker A, Feetham HJ, <u>Armstrong AW</u>, Purcell P, Jacobe H. Do automated text messages increase adherence to acne therapy? Results of a randomized, controlled trial. *The Journal of the American Academy of Dermatology (JAAD)*. 2012 Dec;67(6):1136-42. doi: 10.1016/j.jaad.2012.02.031. Epub 2012 Apr 20.
- 2012 <u>Armstrong AW</u>, Kwong MW, Chase EP, Ledo L, Nesbitt TS, Shewry SL. Why Some Dermatologists Do Not Practice Store-and-Forward Teledermatology. *Archives of Dermatology*. 2012 May 1;148(5):649-50.
- 2012 Armstrong AW, Harskamp CT, Cheeney S, Wu J, Schupp CW. Power of crowdsourcing: Novel methods of data collection in psoriasis and psoriatic arthritis. *The Journal of the American Academy of Dermatology (JAAD)*. 2012 Dec;67(6):1273-1281.e9. doi: 10.1016/j.jaad.2012.05.013. Epub 2012 Jul 19.
- 2012 <u>Armstrong AW</u>, Kwong MW, Chase EP, Ledo L, Nesbitt TS, Shewry SL. Teledermatology Operational Considerations, Challenges, and Benefits: The Referring Providers' Perspective. *Telemedicine Journal and E-Health*. 2012 Oct;18(8):580-4. doi: 10.1089/tmj.2011.0241. Epub 2012 Aug 10.
- 2012 Armstrong AW, Cheeny S, Wu J, Harskamp CT, Schupp CW. Crowdsourcing for Data collection: A Pilot Study Comparing Patient-Reported Experiences and Clinical Trial Data for the Treatment of Seborrheic Dermatitis. *Skin Research and Technology*, 2012 Aug 14. doi: 10.1111/j.1600-0846.2012.00667.x, Epub 2012 Aug 14.
- 2012 Chambers CJ, Parsi KK, Schupp C, and <u>Armstrong AW</u>. Patient-Centered Online Management of Psoriasis: A Randomized Controlled Equivalency Trial. *Journal of the American Academy of Dermatology (JAAD)*. 2012 June;66(6):948-53.
- 2012 Parsi KK, Chambers CJ, and <u>Armstrong AW</u>. Cost-Effectiveness Analysis of a Patient-Centered Online Care Model for Management of Psoriasis. *Journal of the American Academy of Dermatology (JAAD)*. 2012 Apr;66(4):563-70.
- 2012 Lamel SA, Haldeman KM, Ely HP, Kovarik C, Pak H, <u>Armstrong AW</u>. Application of Mobile Teledermatology for Skin Cancer Screening. *Journal of the American Academy* of Dermatology (JAAD), 2012 Oct;67(4):576-81. doi: 10.1016/j.jaad.2011.11.957. Epub 2012 Jan 13.
- 2012 Kanada KN, Schupp CW, <u>Armstrong AW</u>. Association between psoriasis and viral infections in the United States: focusing on hepatitis B, hepatitis C, and human immunodeficiency virus. *Journal of the European Academy of Dermatology and Venereology (JEADV)*. 2012 May 7. Doi:10.1111/j.1468-3083.2012.04563.

- 2012 Alikhan A, Ghods M, <u>Armstrong AW</u>. Survey of demographic and educational factors among dermatology chairs and chiefs. *Cutis*. 2012 Apr;89(4):195-8.
- 2012 <u>Armstrong AW</u>. Reddy SB, Garg A. Novel Approach to utilizing electronic health records for dermatologic research: Developing a multi-institutional federated data network for clinical and translational research in psoriasis and psoriatic arthritis. *Dermatology Online Journal*. 2012 May 15;18(5):2.
- 2012 <u>Armstrong AW</u>. Practical Approach to Providing Patient Support. (Cover Focus) *Practical Dermatology*. 2012 Jun, pp 37-39.
- 2012 Ibrahimi OA, Bangash H, Green L, Alam M, <u>Armstrong AW</u>, Eisen DB. Perceptions of expertise in cutaneous surgery and cosmetic procedures: what primary care physician thinks. *Dermatologic Surgery*, 2012 Oct;38(10):1645-51. doi: 10.1111/j.1524-4725.2012.02577.x. Epub 2012 Sep 7.
- 2012 <u>Armstrong AW</u>, Harskamp CT, Cheeny S, Schupp CW. Crowdsourcing for research data collection in rosacea. *Dermatology Online Journal*. 2012 Mar 15;18(3):15.
- 2012 Brezinski EA, <u>Armstrong AW</u>. Off-label biologic regiments in psoriasis: a systematic review of efficacy and safety of dose escalation, reduction, and interrupted biologic therapy. *PLOS One*. 2012;7(4):e33486.
- 2012 <u>Armstrong AW</u>, Cheeny S, Wu J, Harskamp CT, Schupp CW. Harnessing the Power of Crowds: Crowdsourcing as a Novel Research for Evaluation of Acne Treatments. *American Journal of Clinical Dermatology*, 2012 Dec 1;13(6):405-16. doi: 10.2165/11634040-000000000-00000.
- 2012 <u>Armstrong AW</u>, Harskamp CT, Cheeny S, Schupp CW. Crowdsourcing in eczema research: a novel method of data collection. *Journal of Drugs in Dermatology*, 2012 Oct;11(10):1153-5.
- 2012 Armstrong AW, Wu J, Kovarik CL, Goldyne ME, Oh DH, McKoy KC, Shippy AM, Pak HS. State of teledermatology programs in the United States. *Journal of American Academy of Dermatology*, 012 Nov;67(5):939-44. doi: 10.1016/j.jaad.2012.02.019. Epub 2012 Mar 28.
- 2012 <u>Armstrong AW</u>. Innovations in teledermatology: Direct patient-specialist care enabled by mobile technology. *Expert Review of Dermatology*. 2012 Jun:7(3):223-225.
- 2012 Maverakis E, Li CS, Alikhan A, Lin TC, Idriss N, <u>Armstrong AW</u>. The effect of academic misrepresentation on residency match outcomes. *Dermatology Online Journal*. 2012 Jan 15:18(1):1.
- 2012 <u>Armstrong AW</u>, Lam KH, Chase EP. Epidemiology of classic and AIDS-related Kaposi's sarcoma in the USA: incidence, survival, and geographical distribution from 1975 to 2005. *Epidemiology and Infection*. 2012 Mar:1-7.
- 2012 <u>Armstrong AW</u>, Kwong MW, Ledo L, Nesbitts TS, Shewry SL. Practice models and challenges in teledermatology: a study of collective experiences from teledermatologists. *PLOS One*. 2011;6(12):e28687.
- 2012 <u>Armstrong AW</u>, Harskamp CT, Ledo L, Rogers JH, Armstrong EJ. Coronary Artery Disease in Patients With Psoriasis Referred for Coronary Angiography. *American Journal of Cardiology*. 2012 Apr 1;109(7):976-80.

- 2012 Hsu L, <u>Armstrong AW</u>. Psoriasis and Autoimmune Disorders: A Review of the Literature. *Journal of the American Academy of Dermatology (JAAD)*, 2012 Nov;67(5):1076-9. doi: 10.1016/j.jaad.2012.01.029.
- 2012 Lamel SA, Chambers CJ, Ratnarathorn M, <u>Armstrong AW</u>. The Impact of Live-Interactive Teledermatology on Changes in Diagnosis, Management, and Clinical Outcomes. *Archives of Dermatology*, 2012 Jan;148(1):61-5.
- 2012 Chase EP, <u>Armstrong AW</u>. Advances in management of Atopic Dermatitis: New Therapies and Novel Uses of Existing Treatments. *Seminars in Cutaneous Medicine and Surgery*. 2012 Mar; 31(1):17-24.
- Johnson MJ, <u>Armstrong AW</u>. Diagnosing Psoriasis: Clinical and histological features of psoriasis. *Clinical Reviews in Allergy and Immunology*. 2012 Jan 15;18(1):1.
- 2012 <u>Armstrong AW</u>. Treatment selection for moderate-to-severe psoriasis in special populations, In: UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA, May 2012.
- 2011-2012 <u>Armstrong AW</u>, Liu V, Mihm MC. Pathologic characteristics of malignant melanoma, In: UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA, May 2011.
- 2011-2012 <u>Armstrong AW</u>, Liu V, Mihm MC. Pathologic evaluation of regional lymph nodes evaluation in melanoma, In:UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA, Janurary 2011.
- 2011 Bailey EE, Ference Eh, Alikhan A, Hession MT, <u>Armstrong AW</u>. Combination Treatments for Psoriasis: A Systematic Review and Meta-analysis. *Archives of Dermatology*. 2012 Apr;148(4):511-22.
- 2011 <u>Armstrong AW</u>, Pearson K. Psoriasis and Cardiovascular Disease: Epidemiology, Mechanisms, and Clinical Implications. *Psoriasis: Targets and Therapy*, 2012:2 1–11.
- 2011 Parsi KK, Brezinski EA, Lin TC, Li CS, <u>Armstrong AW</u>. Are Psoriasis Patients Being Screened for Cardiovascular Risk Factors? A Study of Awareness and Screening Practices among Primary Care Physicians and Cardiologists. *Journal of American Academy of Dermatology (JAAD)*, 2012 Sep;67(3):357-62.
- 2011 Goldyne M, <u>Armstrong AW</u>. Teledermatology Program Guide. California Telemedicine eHealth Center, 2011.
- 2011 Rehal B, <u>Armstrong AW</u>. Health outcomes in Atopic Dermatitis. *Dermatologic Clinics*. 2012 Jan;30(1):73-86.
- 2011 Li K, <u>Armstrong AW</u>. A Review of Health Outcomes in Patients with Psoriasis. *Dermatologic Clinics*. 2012 Jan;30(1):61-72.
- 2011 Kim RH, <u>Armstrong AW</u>. Nonmelanoma Skin Cancer. *Dermatologic Clinics*. 2012 Jan;30(1):125-39.
- 2011 Tuong W, Cheng LS, <u>Armstrong AW</u>. Melanoma: Epidemiology, Diagnosis, Treatment, and Outcomes. *Dermatologic Clinics*. 2012 Jan;30(1):113-24.
- 2011 Cheng LS, <u>Armstrong AW</u>. Desmoplastic Melanoma. Advances in Malignant Melanoma: Clinical and Research Perspectives. In Armstrong AW. Editor. *Advances in Malignant Melanoma: Clinical and Research Perspectives*. InTech, SBN 978-953-307-575-4.
- 2011 <u>Armstrong AW</u>, Baden H. Folliculitis. British Medical Journal Point-of-Care, *British Medical Journal*, 2011 at www.pointofcare.bmj.com.

- 2011 Pathipati AS, <u>Armstrong AW</u>. Teledermatology: Outcomes and Economic Considerations. In: Graschew G and Rakowsky S, Editors. *Telemedicine Techniques and Applications*. InTech: 363-378.
- 2011 Pathipati AS, Lee L, <u>Armstrong AW</u>. Health-care delivery methods in teledermatology: consultative, triage, and direct-care models. *Journal of Telemedicine and Telecare*. 2011; 17(4):214-6.
- Tuerk M, Cheng LS, Konia T, <u>Armstrong AW</u>. Umbilicated erythematous papules in an immunocompromised patient. *The Lancet Infectious Diseases*. 2011 Jun; 11(6):488.
- 2011 Kim RH, <u>Armstrong AW</u>. Current State of Acne treatment: highlighting lasers, photodynamic therapy, and chemical peels. *Dermatology Online Journal*. 2011 Mar; 17(3):2.
- 2011 <u>Armstrong AW</u>, Voyles SV, Armstrong EJ, Fuller EN, Rutledge JC. Angiogenesis and oxidative stress: Common mechanisms linking psoriasis with atherosclerosis. *Journal of Dermatological Science*. 2011 Apr; 63: 1-9.
- Johnson MN, <u>Armstrong AW</u>. Technologies in dermatology: teledermatology review. *Giornale Italiano di Dermatologia e Venereologia*. 2011 Apr; 146(2):143-53.
- 2011 <u>Armstrong AW</u>, Voyles S, Armstrong E, Fuller E, Rutledge J. A Tale of Two Plaques: Convergent Mechanisms of T Cell-Mediated Inflammation in Psoriasis and Atherosclerosis. *Experimental Dermatology*. 2011 Jul; 20(7):544-9.
- 2011 Parsi K, <u>Armstrong AW</u>. Phrynoderma. In Heymann WR, Anderson BE, Hivnor C, Lessin S (Eds) Clinical Decision Support: Dermatology. Decision Support in Medicine, LLC, Wilmington, DE. July 2012.
- 2011 Chambers C, <u>Armstrong AW</u>. Erythema Induratum. In Heymann WR, Anderson BE, Hivnor C, Lessin S (Eds) Clinical Decision Support: Dermatology. Decision Support in Medicine, LLC, Wilmington, DE. July 2012.
- 2011 <u>Armstrong AW</u>, Lin S, Chambers C, Sockolov M, Chin D. Psoriasis and hypertension severity: Results from a case-control study. *PLOS ONE*. 2011 Mar; 6(3).
- 2011 Li K, Lin S, <u>Armstrong AW</u>. Elephantiasic Thyroid Dermopathy. *The American Journal of Medicine*. 2011 Sep; 124(9): e1-2.
- 2010 Rehal B, <u>Armstrong AW</u>. Health Outcome Measures in Atopic Dermatitis: A Systematic Review of Trends in Disease Severity and Quality-of-Life Instruments 1985-2010. *PLOS ONE*. 2011 Apr; 6(4).
- 2010 <u>Armstrong AW</u>, Baden H. Folliculitis. British Medical Journal Point-of-Care 2010, *British Medical Journal*, 2010, at www.pointofcare.bmj.com.
- 2010 <u>Armstrong AW</u>. Practice Gap: Failure to Maximize Patient Adherence Strategies in Clinical Practice. *Archives of Dermatology*. 2010 Dec; 146(12):1430-1.
- 2010 <u>Armstrong AW</u>, Alikhan A, Cheng LS, Schupp C, Kurlinkus C, Eisen DB. Portable video media
  - for presenting informed consent and wound care instructions for skin biopsies: a randomized
  - controlled trial. British Journal of Dermatology. 2010 Nov;163(5):1014-9.
- 2010 Cheng LS, Mulgew K, Lin S, Idriss N, Eisen DB, Fung MA, <u>Armstrong AW</u>. A pale version. *The American Journal of Medicine*. 2010 Sep;123(9):802-4.

- Alikhan A, Ledo L, <u>Armstrong AW</u>. A National Survey to Determine an Optimal Fourth Year
   Curriculum for Dermatology Candidates. *Dermatology Online Journal*. 2009 Oct;15(10):2.
- 2010 Armstrong AW, Lin S, Liu F, Sanders C, Farbstein A, Wu G, Nesbitt T. Store-and-Forward Teledermatology Applications. California HealthCare Foundation. 2009 December.
- 2010 <u>Armstrong AW</u>, Idriss N, Kim RH. Effects of video-based, online education on behavioral and knowledge outcomes in sunscreen use: a randomized controlled trial. *Patient Education and Counseling*. 2011 May;83(2):273-7.
- 2010 <u>Armstrong AW</u>, Kim RH, Idriss N, Larsson L, Lio Peter. Online Video Improves Clinical Outcomes in Adults with Atopic Dermatitis: A Randomized Controlled Trial. *Journal of the American Academy of Dermatology (JAAD)*. 2011 Mar;63(3):502-7.
- 2010 Daly M, Alikhan A, <u>Armstrong AW</u>. Combination Systemic Therapies in Psoriatic Arthritis. *Journal of Dermatological Treatment*. 2010 Jul:1-9.
- 2010 Sharon V, Goodarzi H, Chambers C, Fung MA, <u>Armstrong AW</u>. Erythema induratum of Brazin. *Dermatology Online Journal*. 2010 Apr 15;16(4):1.
- 2010 <u>Armstrong AW</u>, Sanders C, Farbstein AD, Wu GZ, Lin SW, Lui FT, Nesbitt TS. Evaluation and comparison of store-and-forward teledermatology applications. *Telemedicine Journal and E-Health*. 2010 May;16 (4): 424-38.
- 2003-2010 <u>Armstrong AW</u>, Liu V, Mihm MC. Pathologic characteristics of malignant melanoma, Part II. In: UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA 2003-2010.
- 2003-2010 <u>Armstrong AW</u>, Liu V, Mihm MC. Pathologic characteristics of malignant melanoma, Part I. In: UpToDate, Rose BD (Ed), UpToDate, Wellesley, MA 2003-2010.
- 2009 Idriss NZ, Alikhan MA, Baba K, <u>Armstrong AW</u>. Online, video-based patient education improves melanoma awareness: a randomized controlled trial. *Telemedicine Journal and E-Health*. 2009 Dec; 15 (10): 992-7.
- 2009 <u>Armstrong AW</u>, Watson AJ, Kazanis M, Frangos JE, Kimball AB, Kvedar JC. Text-Message Reminders Improve Sunscreen Use: A Randomized, Controlled Trial Using Electronic Monitoring. *Archives of Dermatology*. 2009 Nov;145 (11): 1230-6.
- 2009 <u>Armstrong AW</u>, Idriss N, Bergman H. Physician Workforce for Acne Care in the United States 2003 through 2005, *Archives of Dermatology*. 2009 Oct;145(10):1195.
- 2009 Idriss SZ, <u>Armstrong AW</u>, Kvedar JC, Lio PA. Digital imaging in dermatology: attitudes, behaviors, and innovations. *Skin Research and Technology*. 2009:15 (3): pp 376-377.